





KIT'S PARA SÉRIES DE CORRER

KIT CORREDETRAS / KIT COULISSANTS / SLIDING KITS




Série / Serie / Série / System:

CONFORT 2 FOLHAS

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9120S80P	60 kg por folha / ventana / volet / shutter	40	8436
9120SAF30P	30 kg por folha / ventana / volet / shutter	30	8500
9120.3S60P	PAT.PEND.60 kg por folha / ventana / volet / shutter	40	8265
9120S50P	50 kg por folha / ventana / volet / shutter	40	8850
9120.1S25P	20 Kg folha / ventana / volet / shutter	40	6900
9120.1S30P	25 kg por folha / ventana / volet / shutter	40	8600
9120.1S50P	40 kg por folha / ventana / volet / shutter	40	8400
9120.1SAF30P	30 kg por folha / ventana / volet / shutter	30	8400
9120.1SAF50P	50 kg por folha / ventana / volet / shutter	30	8900
9120D100P	90 kg por folha / ventana / volet / shutter	30	11250
9120D160P	90 kg por folha / ventana / volet / shutter	30	9985
9119P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3770
9120.1D100P	80 kg por folha / ventana / volet / shutter	30	11250
9120.1D160P	90 kg por folha / ventana / volet / shutter	30	10550
9120.1D60P	40 kg por folha / ventana / volet / shutter	40	10075
9120D60P	60 kg por folha / ventana / volet / shutter	40	9570
9120S25P	25 Kg por folha / ventana / volet / shutter	40	7045
9120S30P	30 kg por folha / ventana / volet / shutter	40	8075




414CCD x8	9047(S25) x4	9095(D60) x4
1017 x8	9094DT(S30) 9094DT(S50) x4	9112(D160) 9243(D100) x4
9001 x2	SK9119I x4	9094.3(S60) ECO 9094(S30) 9242(S50) 9110(S80) x4
C18		

Série / Serie / Série / System:

DIM-77

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9125.1D60P	40 kg por folha / ventana / volet / shutter	40	8630
9125.1S40P	30 kg por folha / ventana / volet / shutter	40	6470
9125D160P	90 kg por folha / ventana / volet / shutter	40	9270
9125D60P	60 kg por folha / ventana / volet / shutter	40	9910
9125P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3670
9125S40P	40 kg por folha / ventana / volet / shutter	40	6425
9125S80P	60 kg por folha / ventana / volet / shutter	40	6630


Série / Serie / Série / System:

CMB-87

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9054D100P	90 kg por folha / ventana / volet / shutter	20	8800
-----------	---	----	------


Série / Serie / Série / System:

PF-90 /LIN13500

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9100.3D160P	PAT.PEND.90 kg por folha / ventana / volet / shutter	20	12600
9100.1D160PCT	150 kg por folha / ventana / volet / shutter	20	17600
9100.1D80P	60 kg por folha / ventana / volet / shutter	20	8600
9100.1S40P	30 kg por folha / ventana / volet / shutter	40	7130
9100D120P	90 kg por folha / ventana / volet / shutter	20	8600
9100D80P	80 kg por folha / ventana / volet / shutter	20	8600
9100P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3400
9100S40P	40 kg por folha / ventana / volet / shutter	40	7225
9100S80P	60 kg por folha / ventana / volet / shutter	40	7220


Série / Serie / Série / System:

N21000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9121.1S25P	20 Kg por folha / ventana / volet / shutter	50	5935
9121.1S30P	25 kg por folha / ventana / volet / shutter	50	6500
9121P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3450
9121S25P	25 Kg por folha / ventana / volet / shutter	50	5935
9121S30P	30 kg por folha / ventana / volet / shutter	50	6700
9121S80P	60 kg por folha / ventana / volet / shutter	50	6900


Série / Serie / Série / System:

B05H

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9122.1S25P	20 Kg por folha / ventana / volet / shutter	50	5935
9122.1S30P	25 kg por folha / ventana / volet / shutter	50	5935
9122P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3500
9122S25P	25 Kg por folha / ventana / volet / shutter	50	5935
9122S30P	30 kg por folha / ventana / volet / shutter	50	5935
9122S80P	60 kg por folha / ventana / volet / shutter	50	5830



Série / Serie / Série / System:

B05H (3 folhas)

Ref./Code


9445S25P

Espec. / Caract. / Spec.

25 Kg por folha / ventana / volet / shutter

QTY / GR

40 5100


Série / Serie / Série / System:

B03


Ref./Code

 9130.3S60P
 9130.3S60P/ESP
 9130.1D90P/ESP
 9130.1S40P
 9130.1S40P/ESP
 9130D60P
 9130P
 9130S40P
 9130S40P/ESP

Espec. / Caract. / Spec.

 PAT,PEND.60 kg por folha / ventana / volet / shutter
 PAT,PEND.60 kg por folha / ventana / volet / shutter
 90 kg por folha / ventana / volet / shutter
 30 kg por folha / ventana / volet / shutter
 30 kg por folha / ventana / volet / shutter
 50 kg por folha / ventana / volet / shutter
 s/rol. / sin rodamientos / pas de roulements/ without rollers
 40 kg por folha / ventana / volet / shutter
 40 kg por folha / ventana / volet / shutter

QTY / GR

 40 7035
 40 7250
 30 12730
 40 7035
 40 7250
 30 6870
 60 3230
 40 7085
 40 7370

Série / Serie / Série / System:

B03


Ref./Code

 9130.3S60P
 9130.3S60P/ESP
 9130.1D90P/ESP
 9130.1S40P
 9130.1S40P/ESP
 9130D60P
 9130P
 9130S40P
 9130S40P/ESP

Espec. / Caract. / Spec.

 PAT,PEND.60 kg por folha / ventana / volet / shutter
 PAT,PEND.60 kg por folha / ventana / volet / shutter
 90 kg por folha / ventana / volet / shutter
 30 kg por folha / ventana / volet / shutter
 30 kg por folha / ventana / volet / shutter
 50 kg por folha / ventana / volet / shutter
 s/rol. / sin rodamientos / pas de roulements/ without rollers
 40 kg por folha / ventana / volet / shutter
 40 kg por folha / ventana / volet / shutter

QTY / GR

 40 7035
 40 7250
 30 12730
 40 7035
 40 7250
 30 6870
 60 3230
 40 7085
 40 7370

Série / Serie / Série / System:

G90/MILLENIUM

Ref./Code


9081P

Espec. / Caract. / Spec.

s/rol. / sin rodamientos / pas de roulements/ without rollers

QTY / GR

50 5005


Série / Serie / Série / System:

CM


Ref./Code

 9151D50P
 9151P
 9151S25P
 9151S30P

Espec. / Caract. / Spec.

 50 kg por folha / ventana / volet / shutter
 s/rol. / sin rodamientos / pas de roulements/ without rollers
 25 Kg por folha / ventana / volet / shutter
 30 kg por folha / ventana / volet / shutter

QTY / GR


 50 6900
 60 3530
 50 6900
 50 7370


Série / Serie / Série / System:

B05H NAV. DECORATIVA

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9154.1D160P	90 kg por folha / ventana / volet / shutter	30	10560
9154.1D60P	40 kg por folha / ventana / volet / shutter	40	9030
9154.1S30P	25 kg por folha / ventana / volet / shutter	40	7590
9154D160P	90 kg por folha / ventana / volet / shutter	30	10560
9154D60P	60 kg por folha / ventana / volet / shutter	40	9030
9154P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	2620
9154S30P	30 kg por folha / ventana / volet / shutter	40	7500


Série / Serie / Série / System:

B05H/N21000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9155.1S30P	30 kg por folha / ventana / volet / shutter	50	5015
9155P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	2730
9155S30P	30 kg por folha / ventana / volet / shutter	50	5015
9155S80P	60 kg por folha / ventana / volet / shutter	50	4970


Série / Serie / Série / System:

LING28000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9164.1D60P	40 kg por folha / ventana / volet / shutter	40	9510
9164.1S40P	30 kg por folha / ventana / volet / shutter	40	6480
9164D100PAF	100 kg por folha / ventana / volet / shutter	30	10475
9164D160P	90 kg por folha / ventana / volet / shutter	40	9270
9164D60P	60 kg por folha / ventana / volet / shutter	40	9690
9164D80PAF	80 kg por folha / ventana / volet / shutter	30	10790
9164P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	2920
9164S120P	80 kg por folha / ventana / volet / shutter	40	6990
9164S30P	30 kg por folha / ventana / volet / shutter	40	6770
9164S40P	40 kg por folha / ventana / volet / shutter	40	6420


Série / Serie / Série / System:

CONFORT 3 FOLHAS

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9173D160P	90 kg por folha / ventana / volet / shutter	15	7985
9173D60P	60 kg por folha / ventana / volet / shutter	20	7430
9173P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	4730
9173S25P	25 Kg por folha / ventana / volet / shutter	25	6430
9173S30P	30 kg por folha / ventana / volet / shutter	20	6909
9173.1D160P	90 kg por folha / ventana / volet / shutter	15	7985
9173.1D60P	40 kg por folha / ventana / volet / shutter	20	7430
9173.1S25P	20 Kg por folha / ventana / volet / shutter	25	6300


Série / Serie / Série / System:

CE/C65

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9191.1D60P	60 kg por folha / ventana / volet / shutter	30	10070
9191.1S25P	20 Kg por folha / ventana / volet / shutter	50	6500
9191D160P	120 kg por folha / ventana / volet / shutter	30	10060
9191D60P	60 kg por folha / ventana / volet / shutter	30	10490
9191P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3170
9191S25P	25 Kg por folha / ventana / volet / shutter	50	6315
9191S80P	60 kg por folha / ventana / volet / shutter	50	6827
9191.1D160P	120 kg por folha / ventana / volet / shutter	30	10400




Série / Serie / Série / System:

N23000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9193P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3980
9193S30P	30 kg por folha / ventana / volet / shutter	40	7701
9193S60P	60 kg por folha / ventana / volet / shutter	40	7520


Série / Serie / Série / System:

N23000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9194.1D80P	60 kg por folha / ventana / volet / shutter	30	10236
9194.3S60P	PAT,PEND 60 kg por folha / ventana / volet / shutter	30	6326
9194.1S80P	60 kg por folha / ventana / volet / shutter	30	5988
9194D160P	90 kg por folha / ventana / volet / shutter	18	8136
9194D160PAF	90 kg por folha / ventana / volet / shutter	30	13470
9194D80P	80 kg por folha / ventana / volet / shutter	30	10236
9194P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	4480
9194S40P	40 kg por folha / ventana / volet / shutter	30	6326
9194S80P	60 kg por folha / ventana / volet / shutter	30	5988


Série / Serie / Série / System:

PRESTIGE

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9195.1D120P	90 kg por folha / ventana / volet / shutter	20	10430
9195.1D160PCT	150 kg por folha / ventana / volet / shutter	20	18730
9195.1D80P	60 kg por folha / ventana / volet / shutter	20	9300
9195.1S40P	30 kg por folha / ventana / volet / shutter	30	6575
9195D120P	90 kg por folha / ventana / volet / shutter	20	10430
9195D80P	80 kg por folha / ventana / volet / shutter	20	9290
9195P	s/rol. / sin rodamientos / pas de roulements/ without rollers	40	4425
9195S40P	40 kg por folha / ventana / volet / shutter	30	6570
9195S80P	60 kg por folha / ventana / volet / shutter	30	5850


Série / Serie / Série / System:

PRESTIGE 3 FOLHAS

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9196.1D80P	60 kg por folha / ventana / volet / shutter	10	6910
9196.1S40P	30 kg por folha / ventana / volet / shutter	20	6820
9196D160P	90 kg por folha / ventana / volet / shutter	10	6900
9196D80P	80 kg por folha / ventana / volet / shutter	10	6910
9196P	s/rol. / sin rodamientos / pas de roulements/ without rollers	25	4355
9196S40P	40 kg por folha / ventana / volet / shutter	20	6820
9196S80P	60 kg por folha / ventana / volet / shutter	20	6005


Série / Serie / Série / System:

LIN3000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9199S40P	40 kg por folha / ventana / volet / shutter	40	8470
----------	---	----	------



Série / Serie / Série / System:


F90/LIN3000

Ref./Code
Espec. / Caract. / Spec.

9236.1D140P	90 kg por folha / ventana / volet / shutter
9236.1D80P	60 kg por folha / ventana / volet / shutter
9236P	s/rol. / sin rodamientos / pas de roulements/ without rollers

QTY / GR

20	14400
20	10920
40	3600


Série / Serie / Série / System:


N21000/SW

Ref./Code
Espec. / Caract. / Spec.

9238.1S30P	25 kg por folha / ventana / volet / shutter
9238S30P	30 kg por folha / ventana / volet / shutter

QTY / GR

50	6400
50	6400


Série / Serie / Série / System:


PF-90 3 FOLHAS

Ref./Code
Espec. / Caract. / Spec.

9257.1D80P	60 kg por folha / ventana / volet / shutter
9257D80P	80 kg por folha / ventana / volet / shutter

QTY / GR

15	5365
15	5365


Série / Serie / Série / System:


G90 ANICOLOR

Ref./Code
Espec. / Caract. / Spec.

9289D80P	80 kg por folha / ventana / volet / shutter
9289P	s/rol. / sin rodamientos / pas de roulements/ without rollers
9289S40P	40 kg por folha / ventana / volet / shutter

QTY / GR

30	7620
100	9230
30	6600


Série / Serie / Série / System:


THERMOLINE CORTE RECTO

Ref./Code
Espec. / Caract. / Spec.

9319.1D160P	150 kg por folha / ventana / volet / shutter
-------------	--

QTY / GR

10	11070
----	-------




Série / Serie / Série / System:

TERMOLINE PERIMETRAL

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9321.3D160P	PAT.PEND.120 kg por folha / ventana / volet / shutter	10	11800
9321.1D160P	150 kg por folha / ventana / volet / shutter	10	11800
9321.1S40P	30 kg por folha / ventana / volet / shutter	20	9700
9321D80P	80 kg por folha / ventana / volet / shutter	10	15990
9321S40P	40 kg por folha / ventana / volet / shutter	20	9700


Série / Serie / Série / System:

LING28000 - ALUNIK F77

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9334D80PAF	80 kg por folha / ventana / volet / shutter	30	11200
9334P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	4260
9334.1D300PCT	300 kg por folha / ventana / volet / shutter	1	12760
9334.1D60P	40 kg por folha / ventana / volet / shutter	40	9950
9334.1S40P	30 kg por folha / ventana / volet / shutter	40	7270
9334D100PAF	100 kg por folha / ventana / volet / shutter	30	13900
9334D140P	90 kg por folha / ventana / volet / shutter	40	9426
9334D60P	60 kg por folha / ventana / volet / shutter	40	10660


Série / Serie / Série / System:

F90/LIN3000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9351.3S60P	PAT.PEND.60 kg por folha / ventana / volet / shutter	30	7804
9351.3D80P	PAT.PEND.80 kg por folha / ventana / volet / shutter	30	9500
9351.3D160PCT	PAT.PEND.95 kg por folha / ventana / volet / shutter	30	17600
9351.1D140PAF	90 kg por folha / ventana / volet / shutter	30	13190
9351.1D160PCT	150 kg por folha / ventana / volet / shutter	20	18200
9351.1D80P	60 kg por folha / ventana / volet / shutter	30	10070
9351P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	4525
9351.1SAF50P	50 kg por folha / ventana / volet / shutter	30	7804
9351D90P	90 kg por folha / ventana / volet / shutter	30	9900


Série / Serie / Série / System:

B03H

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9363P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3760
9363S40P	40 kg por folha / ventana / volet / shutter	40	7720


Série / Serie / Série / System:

F77/LIN28000 (3 folhas)

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9393.1D60P	40 kg por folha / ventana / volet / shutter	20	8680
9393.1S40P	30 kg por folha / ventana / volet / shutter	30	7650
9393D140P	90 kg por folha / ventana / volet / shutter	20	8360
9393D140PAF	90 kg por folha / ventana / volet / shutter	20	11000



Série / Serie / Série / System:

TC4000


Ref./Code

 9434D100P
9434S40P

Espec. / Caract. / Spec.

 90 kg por folha / ventana / volet / shutter
40 kg por folha / ventana / volet / shutter

QTY / GR

 20 11670
40 7690

Série / Serie / Série / System:

TC4000 (Travessa 4008) - LIN 3500


Ref./Code

 9450D60P
9450S25P
9450.1D90P

Espec. / Caract. / Spec.

 60 kg por folha / ventana / volet / shutter
25 kg por folha / ventana / volet / shutter
90 kg por folha / ventana / volet / shutter

QTY / GR

 40 10450
40 10660
40 10700

Série / Serie / Série / System:

F77 CORTE RECTO


Ref./Code

 9438.1S40P
9438P

Espec. / Caract. / Spec.

 30 kg por folha / ventana / volet / shutter
s/rol. / sin rodamientos / pas de roulements/ without rollers

QTY / GR

 40 7205
50 4480

Série / Serie / Série / System:

P03 - PORTALEX


Ref./Code

 9439D80P
9439S40P

Espec. / Caract. / Spec.

 80 kg por folha / ventana / volet / shutter
40 kg por folha / ventana / volet / shutter

QTY / GR

 30 9370
40 6008

Série / Serie / Série / System:

N24000; N25000


Ref./Code

 9440.3D100P
9440.1D150PZN
9440D100P

Espec. / Caract. / Spec.

 PAT.PEND.95 kg por folha / ventana / volet / shutter
150 kg por folha / ventana / volet / shutter
100 kg por folha / ventana / volet / shutter

QTY / GR


 20 11260
20 18150
20 11550


Série / Serie / Série / System:

LIN3000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9456.3S60P	PAT.PEND.60 kg por folha / ventana / volet / shutter	40	7620
9456.3D160PCT	PAT.PEND.95 kg por folha / ventana / volet / shutter	40	10900
9456.3D160PZN	PAT.PEND.95 kg por folha / ventana / volet / shutter	40	10800
9456.1D160PCT	150 kg por folha / ventana / volet / shutter	20	11200
9456.1D160PZN	150 kg por folha / ventana / volet / shutter	20	4260
9456D100P	90 kg por folha / ventana / volet / shutter	40	10750
9456P	s/rol. / sin rodamientos / pas de roulements/ without rollers	50	3450
9456S40P	40 kg por folha / ventana / volet / shutter	40	7620


Série / Serie / Série / System:

LIN203000 RT90

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9463.1D150PCT	150 kg por folha / ventana / volet / shutter	20	18320
9463.1S30P	25 kg por folha / ventana / volet / shutter	20	5400
9463S30P	30 kg por folha / ventana / volet / shutter	20	3875
9463S60P	60 kg por folha / ventana / volet / shutter	20	5400


Série / Serie / Série / System:

RTC

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9484.3D100B	PAT.PEND.95 kg por folha / ventana / volet / shutter	20	7650
9484.1D150PCT	150 kg por folha / ventana / volet / shutter	20	8680
9484D100P	95 kg por folha / ventana / volet / shutter	20	7650
9484S30P	30 kg por folha / ventana / volet / shutter	40	8360
9484S60P	60 kg por folha / ventana / volet / shutter	40	11000
9484.3D100P	PAT.PEND.95 kg por folha / ventana / volet / shutter	20	7650


Série / Serie / Série / System:

CL

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9485D100P	95 kg por folha / ventana / volet / shutter	30	11670
9485D70P	60 kg por folha / ventana / volet / shutter	40	7690
9485S40P	50 kg por folha / ventana / volet / shutter	40	7205


Série / Serie / Série / System:

TC600

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9486.1D60P	60 kg por folha / ventana / volet / shutter	30	11540
9486D60P	60 kg por folha / ventana / volet / shutter	30	8030
9486SAF30P	30 kg por folha / ventana / volet / shutter	30	9600




Série / Serie / Série / System:

TC4200

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9487.3D150PCT	PAT.PEND. 120 kg por folha / ventana / volet / shutter	15	6008
9487.3D100P	PAT.PEND.95 kg por folha / ventana / volet / shutter	15	10900
9487.1D150PCT	150 kg por folha / ventana / volet / shutter	15	6008
9487D100P	95 kg por folha / ventana / volet / shutter	15	11100
9487S30P	30 kg por folha / ventana / volet / shutter	20	9605


Série / Serie / Série / System:

TC4000

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9488.3D150PCT	PAT.PEND. 120 kg por folha / ventana / volet / shutter	20	15750
9488.1D150PCT	150 kg por folha / ventana / volet / shutter	20	15750
9488D80P	80 kg por folha / ventana / volet / shutter	20	11970
9488S30P	30 kg por folha / ventana / volet / shutter	30	18170


Série / Serie / Série / System:

CS EURO

Ref./Code
Espec. / Caract. / Spec.
QTY / GR


9665.1D90P	90 kg por folha / ventana / volet / shutter	25	10700
9665D60P	50 kg por folha / ventana / volet / shutter	25	9900


Série / Serie / Série / System:

CS EURO (comp 3 folhas)

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

9670.0D60P		50	8000
9670.1D90P		50	0


Série / Serie / Série / System:

PCP/LIN3600/EUROSLIDE

Ref./Code
Espec. / Caract. / Spec.
QTY / GR

967.1SAF50P	50 kg por folha / ventana / volet / shutter	20	0
967D50P	50 kg por folha / ventana / volet / shutter	30	7650
967P	s/rol. / sin rodamientos / pas de roulements/ without rollers	1	4996
967S30P	30 kg por folha / ventana / volet / shutter	30	6500
967.1D90P	90kg por folha / ventana / volet / shutter	30	0

